

Blue Seal 16

Raccordi a compressione

O-ring

Compression fittings
Raccords à compression
Accesorios compresión



Scheda tecnica

Technical features | Fiche technique | Ficha técnica

CODE

0 095 B



Raccordo maschio	Male adaptor	Raccord fileté male	Empalme macho
Ghiera [PP]	Nut [PP]	Ecrou [PP]	Tuerca [PP]
Anello di aggraffaggio [POM]	Grip ring [POM]	Bague d'agrafe [POM]	Cono de fijación [POM]
Anello di battuta [PP]	Spacer ring [PP]	Douille de poussée [PP]	Anillo prensa junta [PP]
O-ring [NBR]	O-ring [NBR]	O-ring [NBR]	O-ring [NBR]
Corpo [PP]	Body [PP]	Corp [PP]	Cuerpo [PP]



CODE: o 095 B

Blue Seal 16
O-ring

Raccordo maschio

Male adaptor


Raccord fileté male

Empalme macho




Male threads

tapered 1:16



ISO 7/1 Conical



Code	Size (mm)	PN	Dimensions (mm)				Weight
Code	ØxD"	bar	B	H	B1	G	gr
009501600BB	16x1/2"	16	69	39	48	15	27
009501600CB	16x3/4"	16	71	39	48	17	28
009502000BB	20x1/2"	16	76	47	57	15	43
009502000CB	20x3/4"	16	77	47	57	17	44
009502000DB	20x1"	16	81	47	57	20	46
009502500BB	25x1/2"	16	77	54	58	15	56
009502500CB	25x3/4"	16	79	54	58	17	57
009502500DB	25x1"	16	82	54	58	20	58
009503200BB	32x1/2"	16	86	65	68	15	90
009503200CB	32x3/4"	16	88	65	68	17	91
009503200DB	32x1"	16	92	65	68	20	94
009503200EB	32x1 1/4"	16	94	65	68	22	97
009503200FB	32x1 1/2"	16	92	65	68	21	100
009504000DB	40x1"	16	102	83	78	20	164
009504000EB	40x1 1/4"	16	105	83	78	22	168
009504000FB	40x1 1/2"	16	105	83	78	21	168
009504000GB	40x2"	16	126	83	92	26	211
009505000DB	50x1"	16	126	97	96	20	280

Normative | Standards | Normes | Normas

UNI9561 | AS/NZS4129 | BRL-K 17105 | DVGW GW 335-B3 | ISO17885 | UNI EN 10226-1 (ISO 7/1)



CODE: o 095 B

Blue Seal 16
O-ring

Raccordo maschio

Male adaptor


Raccord fileté male

Empalme macho




Male threads

tapered 1:16



ISO 7/1 Conical



Code	Size (mm)	PN	Dimensions (mm)				Weight
Code	ØxD"	bar	B	H	B1	G	gr
009505000EB	50x1"¼	16	128	97	96	22	280
009505000FB	50x1"½	16	128	97	96	21	282
009505000GB	50x2"	16	134	97	97	26	292
009506300EB	63x1"¼	16	153	114	121	22	453
009506300FB	63x1"½	16	153	114	121	21	457
009506300GB	63x2"	16	157	114	121	26	463
009506300IB	63x2"½	16	161	114	121	30	477
009507500GB	75x2"	16	169	133	134	26	667
009507500IB	75x2"½	16	173	133	134	30	676
009507500LB	75x3"	16	177	133	134	33	680
009509000GB	90x2"	16	188	154	147	26	1018
009509000IB	90x2"½	16	192	154	147	30	1020
009509000LB	90x3"	16	194	154	147	33	1040
009509000MB	90x4"	16	201	154	147	39	1070
009511000GB	110x2"	16	241	184	186	39	1650
009511000LB	110x3"	16	234	184	186	33	1654
009511000MB	110x4"	16	242	184	187	39	1647

Normative | Standards | Normes | Normas

UNI9561 | AS/NZS4129 | BRL-K 17105 | DVGW GW 335-B3 | ISO17885 | UNI EN 10226-1 (ISO 7/1)