

Blue Seal 16

Raccordi a compressione

Compression fittings
Raccords à compression
Accesorios compresión

O-ring



Scheda tecnica

Technical features | Fiche technique | Ficha técnica

CODE

0 130 B



**Gomito a 90°
filettato maschio**

**90° male
elbow**

**Coude à 90°
fileté male**

**Codo a 90°
macho**

Ghiera **[PP]**

Anello di
aggraffaggio **[POM]**

Anello di
battuta **[PP]**

O-ring **[NBR]**

Corpo **[PP]**

Nut **[PP]**

Grip
ring **[POM]**

Spacer
ring **[PP]**

O-ring **[NBR]**

Body **[PP]**

Ecrou **[PP]**

Bague
d'agrafe **[POM]**

Douille de
poussée **[PP]**

O-ring **[NBR]**

Corp **[PP]**

Tuerca **[PP]**

Cono de
fijación **[POM]**

Anillo prensa
junta **[PP]**

O-ring **[NBR]**

Cuerpo **[PP]**

SAB
cherish your water



SYSTEM GROUP



CODE: o 130 B

Blue Seal 16
O-ring

Gomito a 90° filettato maschio



90° male elbow

Coude à 90° fileté male

Codo a 90° macho

Male threads

tapered 1:16



Code	Size (mm)	PN	Dimensions (mm)							Weight
Code	Ø x D"	bar	B	H	B1	H1	G	A	A1	gr
013001600BB	16 x 1/2"	16	73	52	46	49	15	57,5	27,5	29
013001600CB	16 x 3/4"	16	73	55	47	49	16	57,5	30,5	29
013002000BB	20 x 1/2"	16	84	62	50	47	14	68,0	38,5	45
013002000CB	20 x 3/4"	16	88	65	50	47	16	68,0	41,5	49
013002500BB	25 x 1/2"	16	90	70	53	54	14	73,5	43,0	61
013002500CB	25 x 3/4"	16	92	71	53	54	16	72,0	44,0	62
013002500DB	25 x 1"	16	95	74	53	54	19	78,2	47,0	68
013003200BB	32 x 1/2"	16	105	80	63	65	15	94,5	47,5	102
013003200CB	32 x 3/4"	16	105	81	63	65	16	87,0	48,5	100
013003200DB	32 x 1"	16	108	85	63	65	19	85,5	52,5	106
013003200EB	32 x 1 1/4"	16	113	86	63	65	21	85,0	53,5	131
013004000DB	40 x 1"	16	138	105	72	83	19	109,0	63,5	206
013004000EB	40 x 1 1/4"	16	139	108	74	83	22	110,0	66,5	201

Normative | Standards | Normes | Normas

UNI9561 | AS/NZS4129 | BRL-K 17105 | DVGW GW 335-B3 | ISO17885 | UNI EN 10226-1 (ISO 7/1)



CODE: o 130 B

Blue Seal 16
O-ring

Gomito a 90° filettato maschio



90° male elbow

Coude à 90° fileté male

Codo a 90° macho

Male threads

tapered 1:16



Code	Size (mm)	PN	Dimensions (mm)							Weight
Code	Ø x D"	bar	B	H	B1	H1	G	A	A1	gr
013004000FB	40 x 1"½	16	138	103	72	83	22	103,0	61,5	223
013005000EB	50 x 1"¼	16	156	122	85	97	22	124,0	73,5	305
013005000FB	50 x 1"½	16	156	122	85	97	22	124,0	73,5	301
013005000GB	50 x 2"	16	160	121	85	97	26	119,0	72,5	354
013006300FB	63 x 1"½	16	192	140	107	114	22	152,0	83,0	520
013006300GB	63 x 2"	16	192	145	107	114	27	152,0	88,0	507
013006300IB	63 x 2"½	16	193	143	108	114	29	144,0	86,0	601
0130007500IB	75 x 2"½	16	225	164	122	133	30	168,5	97,5	900
0130007500LB	75 x 3"	16	224	169	120	133	33	112,0	102,5	873
0130009000LB	90 x 3"	16	266	196	146	154	33	200,0	119,0	1406
0130009000MB	90 x 4"	16	266	196	146	154	38	200,0	119,0	1310
0130011000MB	110 x 4"	16	319	222	188	184	38	242,5	130,0	2253

Normative | Standards | Normes | Normas

UNI9561 | AS/NZS4129 | BRL-K 17105 | DVGW GW 335-B3 | ISO17885 | UNI EN 10226-1 (ISO 7/1)